

Proudly Supporting Australian Pharmacy For Over 25 Years Used Worldwide In More Than 3000 Sites

Welcome to New Users

A very warm welcome to this month's new PharmacyPro customers.

APP

Malcolm and Margie enjoyed catching up with many of our customers at APP on the Gold Coast. It was great to put faces to names and to renew acquaintances. We often comment that we have such lovely customers!

We'd also like to thank all potential customers for your interest and enthusiasm for PharmacyPro. We hope you decide to join our *team* of happy customers.

New to PharmacyPro this Month

BULK STOCK EDIT

Click the name at the top of each column to sort stockcards by that criteria.

PLU	Tradename	SOH	Ext Cost	List Cost	MU%
512745	ALLORIN 300MG T	0	\$0.00	\$5.00	0
301892	ALPRAZOLAM-DP 1MG T	0	\$0.00	\$7.66	0

POINT OF SALE

When you type a customer name into the customer/account box, accounts are listed first, and then people with no accounts.

Options	Account No.	Name
1	92884	Smith, Mr Bernie
2	92962	Smith, Mr Daniel R
3	93175	Smith, Mrs Joan (Muriel)
4	No A/C	Smith, Alexander
5	No A/C	Smith, Anne
6	No A/C	Smith, Anne

Integrated MIMS

PharmacyPro integrates with MIMS to check for interactions while dispensing. It also provides either full or abbreviated Prescribing Information at the click of a button.

There is a fee to subscribe. Please contact **HealthSoft** for details.


Interactions
Drug: WARFARIN SODIUM 1MG T (FM)
Severity: Moderate (4) Documentation: Good

Generic	Drug Interaction
warfarin sodium (Systemic) vs simvastatin (Systemic)	Adverse Effect: simvastatin has its effect slightly increased by warfarin sodium Severity Level: 4 Moderate - These medications may interact resulting in the potential deterioration of the patient's condition. The patient should be monitored for the possible manifestations of the interaction. Medical intervention or a change in therapy may be required. Documentation Level: Good - Although controlled studies may not have been performed, several case reports have been documented and other data strongly suggests this interaction exists. Probable Mechanism: Several retrospective studies found slight elevations in INR with concurrent use of warfarin and simvastatin. Bleeding complications and rhabdomyolysis have also been reported when simvastatin was coadministered with either warfarin or acenocoumarol. Although some suggest that any interaction may be of limited clinical significance, it would be prudent to monitor INR when starting or discontinuing simvastatin, or when changing the dose.



M Abbrev. P/I
M Full P/I

Click on these buttons to see the full or abbreviated prescribing information.

MIMS Abbreviated Prescribing Information (Database Version: May 2010)
Ransim
Generic Ingredients: simvastatin
Company Ranbaxy Australia Pty Limited
Pregnancy Category D
Permitted in sport
Use: HMG-CoA reductase inhibitor. Adjunct to diet in treatment of hypercholesterolaemia; high CAD risk (+/- hypercholesterolaemia). See Section 2(f) headnote
Contra: Active hepatic disease; unexplained persistent raised LFTs; myopathy; see to other lipid lowering agents; women of childbearing potential (unless effective contraception); pregnancy; lactation
Preca: Treat see causes; monitor LFTs; ophthalmology (treatment greater than or equal to 5 yrs); renal (esp. CrCl < 30 mL/min); hepatic impairment; hepatic disease history; diabetes; major medical, surgical conditions (interrupt therapy); high alcohol consumption; high dose; children
Adverse: Rhabdomyolysis; myopathy; raised LFTs; CK; GI upset; pancreatitis; neuropathy; paraesthesia; memory impairment; insomnia; rash; hepatic failure (very rare); others, see full PI
Interact: Coumarins, fibrates incl gemfibrozil, nicotinic acid (greater than or equal to 1 g/day); potent CYP3A4 inhibitors (suspend simvastatin therapy; see full PI); cyclosporin; digoxin; diltiazem; verapamil; danazol; amiodarone; fusicidic acid; grapefruit juice > 1 L/day
Ransim Tablets Rx (S4)
Simvastatin, lactose; peach (10 mg); tan (20 mg); brick red (40, 80 mg); f.c.
Pack 10 mg [30] (G) Restricted - PBS/RPBS (Rp 5) PBS: \$25.04 [Approved Indications for Authority: For use in patients that meet the criteria set out in the general statement for lipid-lowering drugs.
General statement for lipid lowering drugs prescribed as pharmaceutical benefits Use the following criteria to determine patient eligibility for subsidisation under the PBS for the following drugs: atorvastatin calcium, fluvastatin sodium, pravastatin sodium, rosuvastatin calcium, simvastatin, simvastatin, fenofibrate and gemfibrozil
By writing a PBS prescription, the prescriber is certifying the patient satisfies the qualifying criteria set out below and the use is in



In Dispense you can also check for interactions by going to Utilities, MIMS Drug Interactions. This will bring up the screen below so you can enter the drugs you would like to check.



Supplier Update

If you would like us to add the stock file of a particular supplier, please contact us with the supplier details. The following files have been updated in *PharmacyPro* this month:

Amcal
Amcal April7 POS
Amcal April 21 Mothers Day Gifts
Amcal TPR April POS
Ascent
Blackmores -Retail & Professional
Bourjois
Central Hospital Supplies
ChemOwn
Coty
Dean Garbutt
Doward
Garnier
Gibson Eyewear
Guardian
Guardian April 21 Mothers Day Gifts
Guardian BGTY April 7 POS
Guardian TPR April POS
L'Oreal
Maybelline
Nadglen
Natural Instincts Promo
Rimmel
Sally Hansen
Sanofi-Aventis
Soul Pattinson 03
SSS March 28 POS

HealthSoft Australia Limited
 P O Box 7121, St Kilda Road, Melbourne, VIC 8004
 Telephone: 1800 887 610